

Next 1 Page(s) In Document Exempt

TOP SECRET

IN 70086

TOP SECRET 260122Z OCT 9791

25X1A

IMMEDIATE INFO PRIORITY

25X1A

OXCART/BLACKSHIELD/OPS

25X1A

25X1A

- A. TYPHOON DINAH REPORT.
- B. PRESENT TYPHOON CONDITION IS 1 CAUTION AS OF 26/0045Z.
- C. LOCATED 24.1N 127.5E AT 125 NM.
- D. MOVING NNE AT 8 KNOTS.
- E. MAXIMUM SUSTAINED WINDS AT CENTER OF TYPHOON ARE 85 KNOTS WITH PEAK GUSTS ESTIMATED TO BE 120 KNOTS.
- F. NONE.

TOP SECRET TOR 260141Z OCT 67

TOP SECRET

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000040011-2

DATE

TOP SECRET

ROUTING	
1	9
2	10
3	11
4	12
5	13
6	14
7	15
8	16

TO :

FROM :

ACTION:

INFO :

IN 70038

TO

INFO

CITE

TOP SECRET 252154Z CITE 9788

25X1A

IMMEDIATE

25X1A

OXCAR/BLACKSHIELD/OPS

25X1A

A. TYPHOON DINAH REPORT

B. PRESENT TYPHOON CONDITION IS 1. NORMAL AS OF 25/2130Z

C. LOCATED 23.9N 127.1E AT 160 NM

D. MOVING N AT 7 KNOTS

E. MAXIMUM SUSTAINED WINDS AT CENTER OF TYPHOON ARE 85 KNOTS WITH
PEAK GUST ESTIMATED TO BE 115 KNOTS

F. EXPECT TO GO TO CONDITION 1 CAUTION AT 25/2400Z

TOP SECRET TOR 252156Z OCT 67

TOP SECRET

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000040011-2

GROUP 1
EXCLUDED FROM AUTO-
MATIC DOWNGRADING
AND DECLASSIFICATION

CLASSIFIED MESSAGE

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000040011-2

DATE

T O P S E C R E T

ROUTING

1	9
2	10
3	11
4	12
5	13
6	14
7	15
8	16

TO :

FROM :

ACTION:

INFO :

IN 69906

Handwritten signature
0751-10

TO

INFO

CITE

T O P S E C R E T 251611Z CITE [] 9787

25X1A

IMMEDIATE []

25X1A

OXCAR/BLACKSHIELD/OPS

25X1A

A. TYPHOON DINAH REPORT

B. PRESENT TYPHOON CONDITION IS 2 AS OF 25/1600Z

C. LOCATED 23.2N 126.9E AT 195 NM

D. MOVING STATIONARY AT N/A KNOTS

E. MAXIMUM SUSTAINED WINDS AT CENTER OF TYPHOON ARE 90 KNOTS
WITH PEAK GUSTS ESTIMATED TO BE 125 KNOTS.

F. NONE

T O P S E C R E T TOR 251614Z OCT 67

T O P S E C R E T

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000040011-2

GROUP 1
EXCLUDED FROM AUTO-
MATIC DOWNGRADING
AND DECLASSIFICATION

[illegible]

70676

TOP SECRET 280945Z CITE WECEN 5409

IMMEDIATE

25X1A

25X1A

A. BX 6732

B. MINUS 300 - 21011 21815 22020

21030

MINUS 200 - 21009 21510 22120

22430

MINUS 100 - 21000 21910 22520

22530

000 - 21895 21805 22010

22513

PLUS 100 - 22095 22005 22110

22515


PLUS 200 - 22195 22105

22310 22512

TOP SECRET

BT

417





DATE

SECRET

1	OX	9
2		10
3		11
4	WX	12
5		13
6		14
7		15
8		16

TO :

FROM :

ACTION:

INFO :

IN70362

OSA 1-15

25X1A

TO

INFO

CITE

25X1A

SECRET 270732Z CITE [] 9823

25X1A

IMMEDIATE [] WECE

25X1A

OXCAPT BLACKSHIELD OPS

25X1A

REF: [] 2639

2640

A. TO CLARIFY WX SCOUT REPORTING PROCEDURES, PARA H OF REF MSGS SHOULD BE IN ACCORDANCE WITH CHANGE TWO OF AWS OPLAN 521 DATED 15 AUG 67, IS AS FOLLOWS. THE WX SCOUT FOR [] WILL BE CONDUCTED BY A TANKER AND REPORTED OVER UHF TO [] ON 348.5. HF WILL ONLY BE USED AS A BACK UP MEANS OF COMMUNICATION.

B. THE FIRST WEATHER SCOUT REPORT FOR EACH REFUELING AREA WILL BE TAKEN AT THE ARCP AT FL300 AT THE TIME SPECIFIED IN THE INTENTIONS ALERT. WEATHER SCOUT REPORTS WILL NOT BE TRANSMITTED FOR THE ARCP UNLESS WEATHER CONDITIONS ARE:

- (1) FIRST DIGIT 2 OR 3
- (2) SECOND DIGIT 9
- (3) THIRD DIGIT 4
- (4) FOURTH DIGIT 4 THROUGH 9

SECRET

GROUP 1
EXCLUDED FROM AUTO-
MATIC DOWNGRADING
AND DECLASSIFICATION

IN70362 25X1A
[] 9823)

S E C R E T

PAGE 2

WEATHER CONDITIONS AT ARCP BETTER THAN 1 THROUGH 4 ABOVE WILL NOT BE TRANSMITTED.

C. THE RECONNAISSANCE AIRCRAFT WILL PROCEED DOWN THE REFUELING TRACK ON A DESCENDING PROFILE SO AS TO ARRIVE AT THE END OF THE AR AT FL250. WEATHER SCOUT REPORTS WILL NOT BE TRANSMITTED FOR END A/R UNLESS WEATHER CONDITIONS ARE:

- (1) FIRST DIGIT 2 OR 3
- (2) SECOND DIGIT 9
- (3) THIRD DIGIT 4
- (4) FOURTH DIGIT 4 THROUGH 9

WEATHER CONDITIONS AT END A/R BETTER THAN 1 THROUGH 4 ABOVE WILL NOT BE TRANSMITTED. HOWEVER, IF THE ARCP REQUIRES A REPORT TO BE TRANSMITTED AN END A/R REPORT WILL ALSO BE TRANSMITTED REGARDLESS OF WEATHER CONDITIONS AT END A/R. IF ONLY THE END A/R REQUIRES A REPORT TO BE TRANSMITTED ARCP REPORTS WILL NOT BE TRANSMITTED.

D. THE RECONNAISSANCE AIRCRAFT WILL THEN RETURN TO THE ARCP IN A RACE-TRACK PATTERN TO BE AT FL300 AT THE ARCP. ADDITIONAL WEATHER SCOUT REPORTS WILL CONTINUE TO BE TAKEN BUT NOT TRANSMITTED UNLESS THE WEATHER DETERIORATES TO THE CONDITIONS LISTED ABOVE.

S E C R E T TOR: 270748Z OCT 67

TOP SECRET 272233Z CITE [REDACTED] 25X1A
IMMEDIATE [REDACTED] INFO IMMEDIATE WECEN
OXCART/BLACK SHIELD/WX/OPS

25X1A

70530

25X1A

- [REDACTED]
- A. BX 5732
 - B. 27/2200Z
 - C. RODN: 25 SCTD 15 N 12
ROAH: 30 SCTD 15 N 16G24
RCGM: HI SCTD 6 GF E03
VTBI: HI SCTD 7 N 02
VTBU: HI SCTD 12 N 04
2100Z
RPMK: HI SCTD 10 NNE 04

TOP SECRET

BT

GROUP 1
Excluded from automatic
downgrading and
declassification

27 OCT 67 22 44

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000040011-2

25X1A

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000040011-2

70519

25X1A

IMMEDIATE

TOP SECRET 272134Z CITE

IMMEDIATE [] WECEN []

25X1A

OXCAR/BLACK SHIELD/WX/OPS

25X1A

25X1A

A. BX 6732

B. ALL FORECASTS VALID 28/0230Z TO 0727Z.

RODN, ROAH: 25 SCTD VAR BRKN 15 340/15G25

INTER GRW- ; NIL.

RCGM: 25 SCTD 100 SCTD 7 070/10 KTS; NIL.

RPMK: 35 SCTD 300 BRKN 7 VAR/05 KTS; NIL.

VTBI: 30 SCTD 300 BRKN VAR SCTD 7 VAR/05 KTS; NIL.

VTBU: 20 SCTD 100 SCTD 300 BRKN 10 VAR/05 KTS;


RW- VCNTY; NIL.

[] 2/8 CI 300/350 15 MI 290/30 KTS

25X1A

M29 NIL 390/640.

TOP SECRET



IMMEDIATE

T O P S E C R E T 272217Z CITE WECEN 5394

IMMEDIATE

25X1A

70527

27 OCT 67 22 210

A. BX 6732

25X1A

B. VALID 28/0345Z TO 0527Z OCT 67

C. SAME AS IN

25X1A

D. SAME AS IN

E. SAME AS IN

F. DMZ EXPECTED TO BE CAT III WITH CAT TWO WEST OF MTNS

T O P S E C R E T

BT

70426

T O P S E C R E T 271811Z CITE WECEN 5385

IMMEDIATE

IMMEDIATE

25X1A

(CORRECTION)

25X1A

A. 29/0000Z TO 0600Z OCT 1967

B. REF WECEN 5381 PAR D, LINE ONE SHD READ CAT II PATCHY III
EAST OF 22507 22205 22005 21906 22002 21800 21699

T O P S E C R E T

BT

27 OCT 67 18 14Z

70402

IMMEDIATE

~~TOP SECRET~~

GROUP 1
Excluded from automatic
downgrading and
declassification

25X1A

TOP SECRET 271552Z CITE

IMMEDIATE

25X1A

OXCAR/BLACK SHIELD/WX/OPS

25X1A

A. BX 6732

B. ALL FORECASTS VA ID 28/0230Z TO 0727Z

RODN, ROAH: 25 BRKN 10 OCNL RW- 340/12G22 KTS; NIL

RCGM: 20 SCTD 100 BRKN 7 040/12G20 KTS; NIL

RPMK: 30 SCTD 20 BRKN 15 040/08G15 KTS; NIL

VTBI: 25 SCTD 300 BRKN 7 VAR/05 KTS; NIL

VTBU: 30 SCTD 100 SCTD 300 BRKN 10 VAR/05 KTS; NIL

2/8 CI 300/350 15 MI 290/30 KTS M29

NIL 390/640

25X1A

TOP SECRET

27 OCT 57 16 01 D

70406

T O P S E C R E T 271632Z CITE WECEN 5382

IMMEDIATE

IMMEDIATE

25X1A

25X1A

A. BX6732

B. VALID 28/0345Z TO 0527Z OCT 67

C. NO CHANGE FROM [] DMZ EXPECTED TO BE CAT III

D. SAME AS IN []

E. SAME AS IN []

F. LATEST PIX SHOW MOST CLDS IN DMZ AREA ALONG MTNS TO WEST BUT VERY
PATCHY CONDITIONS EXTENDING EAST TO THE COAST.


T O P S E C R E T

BT

27 OCT 67 16 35 Z

25X1A

25X1A




70370

TOP SECRET 270845Z CITE [REDACTED] 25X1A

IMMEDIATE [REDACTED] WECEN 25X1A

OXCART/BLACKSHIELD/OPS

25X1A



A. 6732

B. WEATHER SCOUT SUPPORT CONFIRMED THROUGH 313ADIV.

C. HF TACTICAL CALL SIGNS FOR [REDACTED] A/R WEATHER SCOUT AIR-

25X1A

CRAFT ARE: 25X1A

PRIMARY [REDACTED]

SPARE [REDACTED]

TO be changed

D. HF TACTICAL CALL SIGNS FOR [REDACTED] TANKER/WEATHER SCOUT AIR-

25X1A

CRAFT ARE: 25X1A

PRIMARY [REDACTED]

SPARE [REDACTED]

STOP SECRET

BT

IMMEDIATE

27 OCT 67

70386

T O P S E C R E T 271130Z CITE WECEN 5374

IMMEDIATE

25X1A 25X1A

A. BX 6732

25X1A

B. [] VLD 28/0252Z:

25X1A

2/8 CI 300/350 15 MI 290/30 M29 NIL 390/640

[] VLD 28/0426Z:

25X1A

4/8 CI 300/350 10 MI 100/15 M32 NIL, 380/660

C. [] LIMB WND 020/05

25X1A

RTE	ALT	WND	TEMP
CHOIR TO 17N	30M	050/05	M34
TO 20N	30M	310/05	M34
[]	30M	290/25	M29
[] KADENA	43M	260/25	M65
[] TO 115E	30M	060/05	M33
TO 110E	30M	030/05	M32
TO 106E	30M	080/10	M32
[]	30M	100/15	M32
[]	43M	100/20	M64
TO 106E	43M	100/20	M65
TO 116E	43M	090/15	M65
TO 22N	43M	110/15	M65
TO 24N	43M	280/15	M65
TO KADENA	43M	260/25	M65

25X1A

25X1A

25X1A

D. SAME AS IN R-233 (WECEN 5365)

EM TCU/CB VCNTY CLARK. DINAH EXPECTED TO BE WELL TO THE
NORTH OF KADENA. ENTIRE RTE IN CU, CI.

T O P S E C R E T

BT

70350

T O P S E C R E T 270744Z CITE WECEN 5369

IMMED INFO IMMED

25X1A

25X1A

25X1A

A. BX 6732

B. TERMINALS VLD 28/0230Z TO 28/0638Z OCT 67

NO CHG FROM 236A (WECEN 5364)

T O P S E C R E T

BT

YSRC-UP
Classified from automatic
downgrading and
declassification

25X1D

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000040011-2

Approved For Release 2002/06/13 : CIA-RDP69B00041R001000040011-2

70361

TOP SECRET 270743Z CITE WECEN 5363

IMMEDIATE INFOR IMMEDIATE

IMMEDIATE

25X1A

25X1A

25X1A

A. BX6732

B. 28/0345Z TO 28/0527Z OCT 67

C THRU E. NO CHG FROM (WECEN 5365)

TOP SECRET

BT

GROUP 1
Excluded from automatic
downgrading and
declassification

25X1A

IMMEDIATE

70343

TOP SECRET 270431Z SITE MECEN 5364

IMMEDIATE

GROUP 1
Excluded from automatic
downgrading and
declassification

25X1A

25X1A

A. BX 6732

B. TERMINALS VALID 28/0230Z TO 2538Z OCT 1967

KADENA: 4/8 SC 50/80 6/8 AC 100/200 7/8 CI 250/350 7 MI 300

10G20 FZL 160 25X1C

SAME AS KADENA

3/8 SC 35/60 3/8 AC 60/120 5/8 CI 300/350 7 MI 180/10

TCU/CB VCNTY AFTER 04Z FZL 150

7/8 SC 30/50 7 MI 050/10G20 FZL 150

5/8 AC 100/220 7/8 CI 300/350 10 MI 080/10 FZL 150

2/8 SC 30/60 5/8 AC 100/160 6/8 CI 300/350 10 MI VRBL/

10 FZL 150

25X1C

TOP SECRET

BT

TOP SECRET 270440Z CITE WECEN 2365

IMMEDIATE [] INFO IMMEDIATE []


25X1A

25X1A

25X1A

[]
A. BX6732

B. 28/0345Z TO 28/0527Z OCT 67



C. CAT TWO IN CU, CI NORTH OF 22508 22406 222.5/06.5 221.5/08 22110
22215 22520. CAT TWO PTCH THREE IN CU, SC NORTH OF 22406 222/04.5
220.5/05 219/05.5 21806 21608 212/09.5 21013 21216 21513 22020 22522
22723. CAT TWO IN CU, AC, CI WITHIN 21502 21702 21803 21705 21507
21307 21206 213/03.5 21502. CAT THREE IN CU AC CI WITHIN 21502 21702
21803 21705 22002 22000 21999 21700 21502. CAT FOUR WITHIN 219/08.5
219.5/11 218.5/10 219/08.5. RMD CAT FOUR AND FIVE.

D. [] 8 CI 300/350 15 MI 330/20 M29 NIL 400/650
4/8 CI 300/350 15 080/20 M32 NIL 380/660

25X1A

E. TYPHOON DINAH FCST AT 28/0000Z TO BE 29.6N 139.8E. SOME INCREASE
IN LOW LVL CLDS EXPECTED. 500MB FLOW WESTERLY AND DRY. 850 MB FLOW
IS ON SHORE OUR DMZ AND IS EXPECTED TO CONTINUE VERY PTCHY CONDITION
OVR THAT AREA.

TOP SECRET

BT

W97

IMMEDIATE

70276

TOP SECRET 262240Z CITE

25X1A

IMMEDIATE

INFO PRIORITY

OXCAR/BLACKSHIELD/OPS

25X1A

25X1A

25X1A

RECEIVED ALL CLEAR, TYPHOON DINAH, AT 26/2230Z.


TOP SECRET


26/2230Z
77/91000Z
26/2230Z

25X1A

VALID 28/0000T-0600Z OCT 67

MASSIVE HIGH IN CHINA WITH CAT TWO AND
THREE INTO SOUTHERN CHINA. CAT THREE
IN NORTH EAST NORTH VIETNAM FROM COOL
DRY AIR OF HIGH. TYPHOON DINAH TO REVE
SOUTH OF JAPAN.





TOP SECRET 261826Z CITE WECEN 5346 70188

IMMEDIATE [REDACTED]

25X1A

A. 28/0000Z TO 0600Z OCT 1967.

B. SEE FAX CHART (SENT [REDACTED] ONLY)

C. A/R FORECASTS

1. [REDACTED] CI 300/310 15 330/20 M29 NIL 400/650
2. [REDACTED] CI 300/310 15 070/20 M32 NIL 380/650
3. [REDACTED] SAME AS [REDACTED]
4. [REDACTED] 2/8 CI 300/310 15 080/20 M32 NIL 380/660
5. [REDACTED] 4/8 CI 300/320 10070/15 M32 380/660

25X1A

25X1A

25X1A

TERMINALS

25X1C 1. [REDACTED] SAME AS KADENA

2. KADENA: 6/8 CU 25/80 7/8 AC 100/120 10 030/10K NIL FL150
390/650

25X1C 3. [REDACTED] 2/8 CU 25/80 2/8 CI 300/320 10 VRBL /05K NIL
FL160 380/660

25X1C 4. [REDACTED] 2/8 CU 30/60 4/8 CI 300/310 10 VRBL 05K NIL
FL150 380/660

25X1C 5. [REDACTED] 6/8 SC 25/80 10 040/10K NIL FL150 380/650

D. CAT THREE IN SC, CU NORTH OF 22505 22205 22007 21812 21818
22020 22523 23026 REMAINDER CAT FOUR IN SC, CU, AND CI

E. TYPHOON DINAH EXPECTED 28.9N 136.6E 28/0000Z CONTINUED INCREASE
IN LOW LEVEL MOISTURE OVER NORTH VIETNAM DURING THIS PERIOD.